



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

ELAP Certificates 1551, 2728, and 2922

20 December 2017

Sample Traps, LLC

Attn: Quality Control Manager

262 Rickenbacker Circle

Livermore, CA 94551

RE: QC- 32oz. WM HDPE

Work Order: 17L0238

Enclosed are the results of analyses for samples received by the laboratory on 12/04/17 22:10. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Chelsea L. Sandelin
Project Manager



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
L7335CUCS	17L0238-01	Water	12/04/17 00:00	12/04/17 22:10



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals (Drinking Water) by EPA 200 Series Methods

Analyte	Result	MDL	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	Notes
			Limit									
L7335CUCS (17L0238-01) Water Sampled: 12/04/17 00:00 Received: 12/04/17 22:10												
Calcium	ND	0.20	1.0		mg/L	1	AL73194	12/13/17 07:50	12/18/17 16:14	EPA 200.7	MAM	U
Magnesium	ND	0.030	1.0		mg/L	1	AL73194	12/13/17 07:50	12/18/17 16:14	EPA 200.7	MAM	U
Potassium	ND	0.20	1.0		mg/L	1	AL73194	12/13/17 07:50	12/18/17 16:14	EPA 200.7	MAM	U
Sodium	ND	0.40	1.0		mg/L	1	AL73194	12/13/17 07:50	12/18/17 16:14	EPA 200.7	MAM	U



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA 200 Series Methods

Analyte	Result	MDL	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	Notes
			Limit									
L7335CUCS (17L0238-01) Water Sampled: 12/04/17 00:00 Received: 12/04/17 22:10												
Mercury	ND	0.010	0.020	ug/L	1	AL73235	12/08/17 17:05	12/12/17 08:30	EPA 245.1	REN		U
Tin	ND	0.020	0.050	mg/L	1	AL73194	12/13/17 07:50	12/18/17 16:14	EPA 200.7	MAM		U



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA Method 200.8 ICP/MS

Analyte	Result	MDL	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	Notes
			Limit									
L7335CUCS (17L0238-01) Water Sampled: 12/04/17 00:00 Received: 12/04/17 22:10												
												P-02
Aluminum	ND	5.0	10	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Antimony	ND	0.20	0.50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Arsenic	ND	0.20	0.50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Barium	ND	0.20	0.50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Beryllium	ND	0.020	0.10	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Boron	ND	20	50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Cadmium	ND	0.030	0.10	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Chromium	0.19	0.080	0.50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		J
Cobalt	0.058	0.030	0.10	ug/L	1	AL73195	12/08/17 07:52	12/12/17 12:21	EPA 200.8	MMY		J
Copper	ND	0.40	0.50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Iron	ND	10	50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Lead	ND	0.060	0.25	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Manganese	ND	0.90	5.0	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Molybdenum	ND	0.070	0.25	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Nickel	ND	0.30	0.50	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Selenium	ND	0.20	2.0	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Silver	ND	0.050	0.10	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Thallium	ND	0.050	0.10	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Vanadium	ND	0.50	1.0	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U
Zinc	ND	2.0	5.0	ug/L	1	AL73195	12/08/17 07:52	12/11/17 12:25	EPA 200.8	MMY		U



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Anions by EPA Method 300.0

Analyte	Result	MDL	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	Notes
			Limit									
L7335CUCS (17L0238-01) Water Sampled: 12/04/17 00:00 Received: 12/04/17 22:10												
Fluoride	ND	0.070	0.10		mg/L	1	AL73051	12/06/17 16:06	12/06/17 16:06	EPA 300.0	SMP	U
Nitrate as NO3	ND	0.20	1.0		mg/L	1	AL73051	12/06/17 16:06	12/06/17 16:06	EPA 300.0	SMP	T-03, U
Nitrite as NO2	ND	0.20	1.0		mg/L	1	AL73051	12/06/17 16:06	12/06/17 16:06	EPA 300.0	SMP	T-03, U
Sulfate as SO4	ND	0.20	0.50		mg/L	1	AL73051	12/06/17 16:06	12/06/17 16:06	EPA 300.0	SMP	U



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals (Drinking Water) by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73194 - Metals Digest

Blank (AL73194-BLK1)

Prepared: 12/13/17 Analyzed: 12/15/17

Calcium	ND	0.20	1.0	mg/L							U
Magnesium	ND	0.030	1.0	mg/L							U
Potassium	ND	0.20	1.0	mg/L							U
Sodium	ND	0.40	1.0	mg/L							U

LCS (AL73194-BS1)

Prepared: 12/13/17 Analyzed: 12/15/17

Calcium	7.65	0.20	1.0	mg/L	8.00		95.6	85-115			
Magnesium	7.62	0.030	1.0	mg/L	8.00		95.3	85-115			
Potassium	7.61	0.20	1.0	mg/L	8.00		95.2	85-115			
Sodium	7.61	0.40	1.0	mg/L	8.00		95.1	85-115			

Duplicate (AL73194-DUP1)

Source: 17L0573-02

Prepared: 12/13/17 Analyzed: 12/15/17

Calcium	98.6	0.20	1.0	mg/L		98.7			0.143	20	
Magnesium	31.1	0.030	1.0	mg/L		31.1			0.104	20	
Potassium	2.77	0.20	1.0	mg/L		2.74			0.985	20	
Sodium	28.3	0.40	1.0	mg/L		27.9			1.33	20	

Matrix Spike (AL73194-MS1)

Source: 17L0573-02

Prepared: 12/13/17 Analyzed: 12/15/17

Calcium	108	0.20	1.0	mg/L	8.00	98.7	114	70-130			
Magnesium	39.1	0.030	1.0	mg/L	8.00	31.1	101	70-130			
Potassium	10.2	0.20	1.0	mg/L	8.00	2.74	93.3	70-130			
Sodium	35.8	0.40	1.0	mg/L	8.00	27.9	99.5	70-130			

Matrix Spike (AL73194-MS2)

Source: 17L0198-01

Prepared: 12/13/17 Analyzed: 12/15/17

Calcium	93.6	0.20	1.0	mg/L	8.00	83.3	128	70-130			
Magnesium	29.9	0.030	1.0	mg/L	8.00	21.1	109	70-130			
Potassium	12.9	0.20	1.0	mg/L	8.00	5.06	98.0	70-130			
Sodium	96.6	0.40	1.0	mg/L	8.00	88.4	101	70-130			



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals (Drinking Water) by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73194 - Metals Digest

Matrix Spike Dup (AL73194-MSD1)

Source: 17L0573-02

Prepared: 12/13/17 Analyzed: 12/15/17

Calcium	110	0.20	1.0	mg/L	8.00	98.7	145	70-130	2.22	20	QM-4X
Magnesium	40.8	0.030	1.0	mg/L	8.00	31.1	121	70-130	4.10	20	
Potassium	10.4	0.20	1.0	mg/L	8.00	2.74	96.0	70-130	2.10	20	
Sodium	36.1	0.40	1.0	mg/L	8.00	27.9	102	70-130	0.649	20	



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73194 - Metals Digest

Blank (AL73194-BLK1)					Prepared: 12/13/17 Analyzed: 12/15/17						
Tin	ND	0.020	0.050	mg/L							U
LCS (AL73194-BS1)					Prepared: 12/13/17 Analyzed: 12/15/17						
Tin	0.192	0.020	0.050	mg/L	0.168		114	85-115			
Duplicate (AL73194-DUP1)					Source: 17L0573-02 Prepared: 12/13/17 Analyzed: 12/15/17						
Tin	ND	0.020	0.050	mg/L		ND			20		U
Matrix Spike (AL73194-MS1)					Source: 17L0573-02 Prepared: 12/13/17 Analyzed: 12/15/17						
Tin	0.197	0.020	0.050	mg/L	0.168	ND	118	70-130			
Matrix Spike (AL73194-MS2)					Source: 17L0198-01 Prepared: 12/13/17 Analyzed: 12/15/17						
Tin	0.195	0.020	0.050	mg/L	0.168	ND	116	70-130			
Matrix Spike Dup (AL73194-MSD1)					Source: 17L0573-02 Prepared: 12/13/17 Analyzed: 12/15/17						
Tin	0.202	0.020	0.050	mg/L	0.168	ND	120	70-130	2.31	20	

Batch AL73235 - EPA 245.1 Hg Water

Blank (AL73235-BLK1)					Prepared: 12/08/17 Analyzed: 12/12/17						
Mercury	ND	0.010	0.020	ug/L							U
LCS (AL73235-BS1)					Prepared: 12/08/17 Analyzed: 12/12/17						
Mercury	0.220	0.010	0.020	ug/L	0.250		88.0	85-115			
Duplicate (AL73235-DUP1)					Source: 17L0238-01 Prepared: 12/08/17 Analyzed: 12/12/17						
Mercury	ND	0.010	0.020	ug/L		ND			20		U



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73235 - EPA 245.1 Hg Water

Matrix Spike (AL73235-MS1)

Source: 17L0238-01

Prepared: 12/08/17 Analyzed: 12/12/17

Mercury	0.220	0.010	0.020	ug/L	0.250	ND	88.0	70-130			
---------	-------	-------	-------	------	-------	----	------	--------	--	--	--

Matrix Spike Dup (AL73235-MSD1)

Source: 17L0238-01

Prepared: 12/08/17 Analyzed: 12/12/17

Mercury	0.224	0.010	0.020	ug/L	0.250	ND	89.6	70-130	1.80	20	
---------	-------	-------	-------	------	-------	----	------	--------	------	----	--



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73195 - EPA 200.8

Blank (AL73195-BLK1)

Prepared: 12/08/17 Analyzed: 12/11/17

Aluminum	ND	5.0	10	ug/L							U
Antimony	ND	0.20	0.50	ug/L							U
Arsenic	ND	0.20	0.50	ug/L							U
Barium	ND	0.20	0.50	ug/L							U
Beryllium	ND	0.020	0.10	ug/L							U
Boron	ND	20	50	ug/L							U
Cadmium	ND	0.030	0.10	ug/L							U
Chromium	0.172	0.080	0.50	ug/L							J
Cobalt	ND	0.030	0.10	ug/L							U
Copper	ND	0.40	0.50	ug/L							U
Iron	ND	10	50	ug/L							U
Lead	ND	0.060	0.25	ug/L							U
Manganese	ND	0.90	5.0	ug/L							U
Molybdenum	ND	0.070	0.25	ug/L							U
Nickel	ND	0.30	0.50	ug/L							U
Selenium	ND	0.20	2.0	ug/L							U
Silver	ND	0.050	0.10	ug/L							U
Thallium	ND	0.050	0.10	ug/L							U
Vanadium	ND	0.50	1.0	ug/L							U
Zinc	ND	2.0	5.0	ug/L							U

LCS (AL73195-BS1)

Prepared: 12/08/17 Analyzed: 12/11/17

Aluminum	568	5.0	10	ug/L	520	109	85-115
Antimony	21.9	0.20	0.50	ug/L	20.0	109	85-115
Arsenic	22.1	0.20	0.50	ug/L	20.0	110	85-115
Barium	22.3	0.20	0.50	ug/L	20.0	112	85-115
Beryllium	23.0	0.020	0.10	ug/L	20.0	115	85-115
Boron	110	20	50	ug/L	100	110	85-115
Cadmium	21.1	0.030	0.10	ug/L	20.0	106	85-115
Chromium	20.4	0.080	0.50	ug/L	20.0	102	85-115
Cobalt	20.1	0.030	0.10	ug/L	20.0	101	85-115
Copper	21.1	0.40	0.50	ug/L	20.0	106	85-115
Iron	524	10	50	ug/L	520	101	85-115
Lead	21.8	0.060	0.25	ug/L	20.0	109	85-115
Manganese	19.6	0.90	5.0	ug/L	20.0	98.0	85-115

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73195 - EPA 200.8

LCS (AL73195-BS1)

Prepared: 12/08/17 Analyzed: 12/11/17

Molybdenum	21.2	0.070	0.25	ug/L	20.0		106	85-115			
Nickel	20.0	0.30	0.50	ug/L	20.0		100	85-115			
Selenium	20.7	0.20	2.0	ug/L	20.0		103	85-115			
Silver	20.7	0.050	0.10	ug/L	20.0		104	85-115			
Thallium	21.8	0.050	0.10	ug/L	20.0		109	85-115			
Vanadium	20.1	0.50	1.0	ug/L	20.0		101	85-115			
Zinc	108	2.0	5.0	ug/L	100		108	85-115			

Duplicate (AL73195-DUP1)

Source: 17L0238-01

Prepared: 12/08/17 Analyzed: 12/11/17

Aluminum	ND	5.0	10	ug/L		ND			20		U
Antimony	ND	0.20	0.50	ug/L		ND			20		U
Arsenic	ND	0.20	0.50	ug/L		ND			20		U
Barium	ND	0.20	0.50	ug/L		ND			20		U
Beryllium	ND	0.020	0.10	ug/L		ND			20		U
Boron	ND	20	50	ug/L		ND			20		U
Cadmium	ND	0.030	0.10	ug/L		ND			20		U
Chromium	0.186	0.080	0.50	ug/L		0.185			0.275	20	J
Cobalt	0.0322	0.030	0.10	ug/L		0.0580			57.2	20	J
Copper	ND	0.40	0.50	ug/L		ND			20		U
Iron	ND	10	50	ug/L		ND			20		U
Lead	ND	0.060	0.25	ug/L		ND			20		U
Manganese	ND	0.90	5.0	ug/L		ND			20		U
Molybdenum	ND	0.070	0.25	ug/L		ND			20		U
Nickel	ND	0.30	0.50	ug/L		ND			20		U
Selenium	ND	0.20	2.0	ug/L		ND			20		U
Silver	ND	0.050	0.10	ug/L		ND			20		U
Thallium	ND	0.050	0.10	ug/L		ND			20		U
Vanadium	ND	0.50	1.0	ug/L		ND			20		U
Zinc	ND	2.0	5.0	ug/L		ND			20		U



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73195 - EPA 200.8

Matrix Spike (AL73195-MS1)

Source: 17L0238-01

Prepared: 12/08/17 Analyzed: 12/11/17

Aluminum	548	5.0	10	ug/L	520	ND	105	70-130			
Antimony	21.6	0.20	0.50	ug/L	20.0	ND	108	70-130			
Arsenic	21.5	0.20	0.50	ug/L	20.0	ND	108	70-130			
Barium	21.6	0.20	0.50	ug/L	20.0	ND	108	70-130			
Beryllium	22.7	0.020	0.10	ug/L	20.0	ND	114	70-130			
Boron	118	20	50	ug/L	100	ND	118	70-130			
Cadmium	20.7	0.030	0.10	ug/L	20.0	ND	104	70-130			
Chromium	19.9	0.080	0.50	ug/L	20.0	0.185	98.5	70-130			
Cobalt	19.6	0.030	0.10	ug/L	20.0	0.0580	97.9	70-130			
Copper	21.0	0.40	0.50	ug/L	20.0	ND	105	70-130			
Iron	507	10	50	ug/L	520	ND	97.5	70-130			
Lead	21.7	0.060	0.25	ug/L	20.0	ND	108	70-130			
Manganese	19.2	0.90	5.0	ug/L	20.0	ND	96.0	70-130			
Molybdenum	21.0	0.070	0.25	ug/L	20.0	ND	105	70-130			
Nickel	19.3	0.30	0.50	ug/L	20.0	ND	96.6	70-130			
Selenium	20.6	0.20	2.0	ug/L	20.0	ND	103	70-130			
Silver	20.4	0.050	0.10	ug/L	20.0	ND	102	70-130			
Thallium	21.5	0.050	0.10	ug/L	20.0	ND	108	70-130			
Vanadium	19.6	0.50	1.0	ug/L	20.0	ND	97.9	70-130			
Zinc	105	2.0	5.0	ug/L	100	ND	105	70-130			

Matrix Spike (AL73195-MS2)

Source: 17L0594-02

Prepared: 12/08/17 Analyzed: 12/12/17

Aluminum	524	20	40	ug/L	520	ND	101	70-130			
Antimony	22.5	0.80	2.0	ug/L	20.0	ND	112	70-130			
Arsenic	26.6	0.80	2.0	ug/L	20.0	4.82	109	70-130			
Barium	73.5	0.80	2.0	ug/L	20.0	51.8	108	70-130			
Beryllium	21.1	0.080	0.40	ug/L	20.0	ND	106	70-130			
Boron	710	80	200	ug/L	100	574	136	70-130			QM-4X
Cadmium	20.3	0.12	0.40	ug/L	20.0	ND	101	70-130			
Chromium	21.3	0.32	2.0	ug/L	20.0	ND	107	70-130			
Cobalt	21.5	0.12	0.40	ug/L	20.0	0.161	107	70-130			
Copper	23.7	1.6	2.0	ug/L	20.0	4.62	95.5	70-130			
Iron	1790	40	200	ug/L	520	1160	119	70-130			
Lead	16.6	0.24	1.0	ug/L	20.0	ND	82.8	70-130			
Manganese	277	3.6	20	ug/L	20.0	247	155	70-130			QM-01

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AL73195 - EPA 200.8

Matrix Spike (AL73195-MS2)

Source: 17L0594-02

Prepared: 12/08/17 Analyzed: 12/12/17

Molybdenum	32.4	0.28	1.0	ug/L	20.0	9.93	113	70-130			
Nickel	25.2	1.2	2.0	ug/L	20.0	4.40	104	70-130			
Selenium	21.2	0.80	8.0	ug/L	20.0	1.10	101	70-130			
Silver	19.1	0.20	0.40	ug/L	20.0	ND	95.3	70-130			
Thallium	17.3	0.20	0.40	ug/L	20.0	ND	86.5	70-130			
Vanadium	22.6	2.0	4.0	ug/L	20.0	ND	113	70-130			
Zinc	100	8.0	20	ug/L	100	ND	100	70-130			

Matrix Spike Dup (AL73195-MSD1)

Source: 17L0238-01

Prepared: 12/08/17 Analyzed: 12/11/17

Aluminum	547	5.0	10	ug/L	520	ND	105	70-130	0.114	20	
Antimony	21.6	0.20	0.50	ug/L	20.0	ND	108	70-130	0.319	20	
Arsenic	22.1	0.20	0.50	ug/L	20.0	ND	110	70-130	2.42	20	
Barium	21.7	0.20	0.50	ug/L	20.0	ND	108	70-130	0.526	20	
Beryllium	22.6	0.020	0.10	ug/L	20.0	ND	113	70-130	0.420	20	
Boron	119	20	50	ug/L	100	ND	119	70-130	0.343	20	
Cadmium	20.9	0.030	0.10	ug/L	20.0	ND	104	70-130	0.808	20	
Chromium	19.8	0.080	0.50	ug/L	20.0	0.185	97.9	70-130	0.589	20	
Cobalt	19.6	0.030	0.10	ug/L	20.0	0.0580	97.6	70-130	0.318	20	
Copper	20.6	0.40	0.50	ug/L	20.0	ND	103	70-130	2.31	20	
Iron	512	10	50	ug/L	520	ND	98.4	70-130	0.966	20	
Lead	21.6	0.060	0.25	ug/L	20.0	ND	108	70-130	0.161	20	
Manganese	19.2	0.90	5.0	ug/L	20.0	ND	95.9	70-130	0.123	20	
Molybdenum	20.8	0.070	0.25	ug/L	20.0	ND	104	70-130	0.552	20	
Nickel	19.3	0.30	0.50	ug/L	20.0	ND	96.4	70-130	0.251	20	
Selenium	21.5	0.20	2.0	ug/L	20.0	ND	108	70-130	4.42	20	
Silver	20.5	0.050	0.10	ug/L	20.0	ND	103	70-130	0.804	20	
Thallium	21.4	0.050	0.10	ug/L	20.0	ND	107	70-130	0.492	20	
Vanadium	19.6	0.50	1.0	ug/L	20.0	ND	98.2	70-130	0.307	20	
Zinc	104	2.0	5.0	ug/L	100	ND	104	70-130	1.11	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Anions by EPA Method 300.0 - Quality Control

Analyte	Result	MDL	Reporting		Spike Level	Source		%REC		RPD		Notes
			Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch AL73051 - General Preparation

Blank (AL73051-BLK1)

Prepared & Analyzed: 12/06/17

Sulfate as SO4	ND	0.20	0.50	mg/L								U
Nitrate as NO3	ND	0.20	1.0	mg/L								U
Nitrite as NO2	ND	0.20	1.0	mg/L								U
Fluoride	ND	0.070	0.10	mg/L								U

LCS (AL73051-BS1)

Prepared & Analyzed: 12/06/17

Nitrate as NO3	25	0.20	1.0	mg/L	24.7	ND	102	90-110				
Sulfate as SO4	22.4	0.20	0.50	mg/L	22.2	ND	101	90-110				
Nitrite as NO2	18.4	0.20	1.0	mg/L	18.2	ND	101	90-110				
Fluoride	5.63	0.070	0.10	mg/L	5.56	ND	101	90-110				

Duplicate (AL73051-DUP1)

Source: 17L0239-01

Prepared & Analyzed: 12/06/17

Nitrate as NO3	ND	0.20	1.0	mg/L		ND				20		U
Nitrite as NO2	ND	0.20	1.0	mg/L		ND				20		U
Fluoride	ND	0.070	0.10	mg/L		ND				20		U
Sulfate as SO4	ND	0.20	0.50	mg/L		ND				20		U

Matrix Spike (AL73051-MS1)

Source: 17L0239-01

Prepared & Analyzed: 12/06/17

Nitrate as NO3	26	0.20	1.0	mg/L	24.7	ND	105	80-120				
Sulfate as SO4	22.9	0.20	0.50	mg/L	22.2	ND	103	80-120				
Fluoride	5.75	0.070	0.10	mg/L	5.56	ND	104	80-120				
Nitrite as NO2	19.1	0.20	1.0	mg/L	18.2	ND	105	80-120				

Matrix Spike (AL73051-MS2)

Source: 17L0209-02

Prepared & Analyzed: 12/06/17

Nitrite as NO2	16.9	1.0	5.0	mg/L	18.2	ND	93.0	80-120				
Nitrate as NO3	24	1.0	5.0	mg/L	24.7	ND	95.9	80-120				
Sulfate as SO4	39.0	1.0	2.5	mg/L	22.2	17.9	95.0	80-120				
Fluoride	5.46	0.35	0.50	mg/L	5.56	ND	98.2	80-120				



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Anions by EPA Method 300.0 - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch AL73051 - General Preparation

Matrix Spike Dup (AL73051-MSD1)

Source: 17L0239-01

Prepared & Analyzed: 12/06/17

Fluoride	5.75	0.070	0.10	mg/L	5.56	ND	104	80-120	0.0193	20	
Sulfate as SO4	22.8	0.20	0.50	mg/L	22.2	ND	103	80-120	0.117	20	
Nitrite as NO2	18.9	0.20	1.0	mg/L	18.2	ND	104	80-120	0.807	20	
Nitrate as NO3	26	0.20	1.0	mg/L	24.7	ND	105	80-120	0.253	20	



Alpha Analytical Laboratories Inc.

e-mail: clientservices@alpha-labs.com

Corporate: 208 Mason St., Ukiah, CA 95482 • Phone: (707) 468-0401 • Fax: (707) 468-5267

Bay Area: 262 Rickenbacker Circle, Livermore, CA 94551 • Phone: (925) 828-6226 • Fax: (925) 828-6309

Central Valley: 9090 Union Park Way, Suite 113, Elk Grove, CA 95624 • Phone: (916) 686-5190 • Fax: (916) 686-5192

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz. WM HDPE
Project Number: Lot Number L7335CUCS

Reported:
12/20/17 14:35

Notes and Definitions

- J Detected but below the Reporting Limit; therefore, result is an estimated concentration, detected but not quantified (DNQ).
- P-02 Sample acidified to pH <2 and allowed to sit 24 hours before further processing.
- QM-01 The spike recovery for this QC sample is outside of established control limits possibly due to a sample matrix interference.
- QM-4X The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
- T-03 Client did not specify sampling time.
- U Analyte included in analysis, but not detected at or above MDL.
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- MDL Method detection limit
- Rec Recovery
- RPD Relative Percent Difference

