



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

26 November 2019

Sample Traps, LLC

Attn: Quality Control Manager

262 Rickenbacker Circle

Livermore, CA 94551

RE: QC- 32oz Clear Glass Jar

Work Order: 19K1181

Enclosed are the results of analyses for samples received by the laboratory on 11/11/19 08:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Chelsea L. Sandelin

Project Manager



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz Clear Glass Jar
Project Number: Lot Number S9301CUHS

Reported:
11/26/19 08:37

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego Service Center: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
S9301CUHS	19K1181-01	Water	11/11/19 00:00	11/11/19 08:00



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
 262 Rickenbacker Circle
 Livermore CA, 94551

Project Manager: Quality Control Manager
 Project: QC- 32oz Clear Glass Jar
 Project Number: Lot Number S9301CUHS

Reported:
 11/26/19 08:37

Metals (Drinking Water) by EPA 200 Series Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	ELAP#	Notes
S9301CUHS (19K1181-01) Water Sampled: 11/11/19 00:00 Received: 11/11/19 08:00												
Calcium	0.17	0.080	1.0	mg/L	1	AK93803	11/15/19 15:09	11/20/19 14:32	EPA 200.7	MAM	1551	J
Magnesium	ND	0.030	1.0	mg/L	1	AK93803	11/15/19 15:09	11/20/19 14:32	EPA 200.7	MAM	1551	U
Potassium	ND	0.090	1.0	mg/L	1	AK93803	11/15/19 15:09	11/20/19 14:32	EPA 200.7	MAM	1551	U
Sodium	ND	0.40	1.0	mg/L	1	AK93803	11/15/19 15:09	11/20/19 14:32	EPA 200.7	MAM	1551	U



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
 262 Rickenbacker Circle
 Livermore CA, 94551

Project Manager: Quality Control Manager
 Project: QC- 32oz Clear Glass Jar
 Project Number: Lot Number S9301CUHS

Reported:
 11/26/19 08:37

Metals by EPA 200 Series Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	ELAP#	Notes
S9301CUHS (19K1181-01) Water Sampled: 11/11/19 00:00 Received: 11/11/19 08:00												
Mercury	ND	0.020	0.020	ug/L	1	AK94126	11/25/19 06:19	11/25/19 13:08	EPA 245.1	LMR	1551	U
Tin	ND	0.050	0.050	mg/L	1	AK93803	11/15/19 15:09	11/20/19 14:32	EPA 200.7	MAM	1551	U



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
 262 Rickenbacker Circle
 Livermore CA, 94551

Project Manager: Quality Control Manager
 Project: QC- 32oz Clear Glass Jar
 Project Number: Lot Number S9301CUHS

Reported:
 11/26/19 08:37

Metals by EPA Method 200.8 ICP/MS

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	ELAP#	Notes
S9301CUHS (19K1181-01) Water Sampled: 11/11/19 00:00 Received: 11/11/19 08:00												
Aluminum	16	5.0	10	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	
Antimony	ND	0.20	0.50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Arsenic	ND	0.40	0.50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Barium	12	0.20	0.50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	
Beryllium	ND	0.050	0.10	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Boron	ND	20	50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Cadmium	ND	0.060	0.10	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Chromium	ND	0.50	0.50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Cobalt	ND	0.10	0.10	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Copper	1.3	0.40	0.50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	
Iron	ND	10	50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Lead	0.37	0.060	0.25	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	
Manganese	ND	2.0	5.0	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Molybdenum	ND	0.070	0.25	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Nickel	ND	0.30	0.50	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Selenium	ND	0.30	2.0	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Silver	ND	0.050	0.10	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Thallium	ND	0.050	0.10	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Vanadium	ND	0.50	1.0	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U
Zinc	ND	4.0	5.0	ug/L	1	AK93805	11/15/19 15:00	11/18/19 19:41	EPA 200.8	SMP	1551	U

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz Clear Glass Jar
Project Number: Lot Number S9301CUHS

Reported:
11/26/19 08:37

Conventional Chemistry Parameters by APHA/EPA Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	ELAP#	Notes
S9301CUHS (19K1181-01) Water Sampled: 11/11/19 00:00 Received: 11/11/19 08:00												
Total Organic Carbon	0.356	0.300	0.300	mg/L	1	AK93733	11/20/19 09:15	11/20/19 18:57	SM5310C	SLG	1551	



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
 262 Rickenbacker Circle
 Livermore CA, 94551

Project Manager: Quality Control Manager
 Project: QC- 32oz Clear Glass Jar
 Project Number: Lot Number S9301CUHS

Reported:
 11/26/19 08:37

Anions by EPA Method 300.0

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Analyst	ELAP#	Notes
S9301CUHS (19K1181-01) Water Sampled: 11/11/19 00:00 Received: 11/11/19 08:00												
Fluoride	ND	0.070	0.10	mg/L	1	AK93589	11/12/19 11:37	11/12/19 11:37	EPA 300.0	SMS	1551	U
Nitrate as NO3	ND	0.20	1.0	mg/L	1	AK93589	11/12/19 11:37	11/12/19 11:37	EPA 300.0	SMS	1551	U
Nitrite as NO2	ND	0.20	1.0	mg/L	1	AK93589	11/12/19 11:37	11/12/19 11:37	EPA 300.0	SMS	1551	U
Sulfate as SO4	ND	0.20	0.50	mg/L	1	AK93589	11/12/19 11:37	11/12/19 11:37	EPA 300.0	SMS	1551	U



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Metals (Drinking Water) by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93803 - Metals Digest

Blank (AK93803-BLK1)											
						Prepared: 11/15/19 Analyzed: 11/18/19					
Calcium	ND	0.080	1.0	mg/L							U
Magnesium	ND	0.030	1.0	mg/L							U
Potassium	ND	0.090	1.0	mg/L							U
Sodium	ND	0.40	1.0	mg/L							U

LCS (AK93803-BS1)											
						Prepared: 11/15/19 Analyzed: 11/18/19					
Calcium	8.08	0.080	1.0	mg/L	8.00		101	85-115			
Magnesium	8.27	0.030	1.0	mg/L	8.00		103	85-115			
Potassium	8.05	0.090	1.0	mg/L	7.80		103	85-115			
Sodium	7.85	0.40	1.0	mg/L	8.00		98.1	85-115			

Duplicate (AK93803-DUP1)											
			Source: 19K1722-02			Prepared: 11/15/19 Analyzed: 11/18/19					
Calcium	66.7	0.080	1.0	mg/L		66.2			0.864	20	
Magnesium	12.9	0.030	1.0	mg/L		12.7			1.68	20	
Potassium	3.97	0.090	1.0	mg/L		3.93			1.24	20	
Sodium	16.8	0.40	1.0	mg/L		16.3			2.61	20	

Matrix Spike (AK93803-MS1)											
			Source: 19K1722-02			Prepared: 11/15/19 Analyzed: 11/18/19					
Calcium	76.6	0.080	1.0	mg/L	8.00	66.2	130	70-130			
Magnesium	21.0	0.030	1.0	mg/L	8.00	12.7	104	70-130			
Potassium	11.9	0.090	1.0	mg/L	7.80	3.93	103	70-130			
Sodium	24.9	0.40	1.0	mg/L	8.00	16.3	107	70-130			

Matrix Spike (AK93803-MS2)											
			Source: 19K1820-01			Prepared: 11/15/19 Analyzed: 11/18/19					
Calcium	36.5	0.080	1.0	mg/L	8.00	29.5	87.6	70-130			
Magnesium	20.6	0.030	1.0	mg/L	8.00	12.9	96.5	70-130			
Potassium	18.1	0.090	1.0	mg/L	7.80	10.8	93.6	70-130			
Sodium	142	0.40	1.0	mg/L	8.00	138	47.4	70-130			QM-4X

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Metals (Drinking Water) by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93803 - Metals Digest

Matrix Spike Dup (AK93803-MSD1)	Source: 19K1722-02			Prepared: 11/15/19 Analyzed: 11/18/19							
Calcium	76.2	0.080	1.0	mg/L	8.00	66.2	125	70-130	0.509	20	
Magnesium	21.1	0.030	1.0	mg/L	8.00	12.7	106	70-130	0.701	20	
Potassium	12.2	0.090	1.0	mg/L	7.80	3.93	106	70-130	2.13	20	
Sodium	24.8	0.40	1.0	mg/L	8.00	16.3	105	70-130	0.591	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Metals by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93803 - Metals Digest

Blank (AK93803-BLK1)					Prepared: 11/15/19 Analyzed: 11/18/19						
Tin	ND	0.050	0.050	mg/L							U
LCS (AK93803-BS1)					Prepared: 11/15/19 Analyzed: 11/18/19						
Tin	0.199	0.050	0.050	mg/L	0.200		99.5	85-115			
Duplicate (AK93803-DUP1)					Source: 19K1722-02 Prepared: 11/15/19 Analyzed: 11/18/19						
Tin	ND	0.050	0.050	mg/L		ND				20	U
Matrix Spike (AK93803-MS1)					Source: 19K1722-02 Prepared: 11/15/19 Analyzed: 11/18/19						
Tin	0.187	0.050	0.050	mg/L	0.200	ND	93.4	70-130			
Matrix Spike (AK93803-MS2)					Source: 19K1820-01 Prepared: 11/15/19 Analyzed: 11/18/19						
Tin	0.192	0.050	0.050	mg/L	0.200	ND	95.9	70-130			
Matrix Spike Dup (AK93803-MSD1)					Source: 19K1722-02 Prepared: 11/15/19 Analyzed: 11/18/19						
Tin	0.191	0.050	0.050	mg/L	0.200	ND	95.4	70-130	2.17	20	

Batch AK94126 - EPA 245.1 Hg Water

Blank (AK94126-BLK1)					Prepared & Analyzed: 11/25/19						
Mercury	ND	0.020	0.020	ug/L							U
LCS (AK94126-BS1)					Prepared & Analyzed: 11/25/19						
Mercury	0.270	0.020	0.020	ug/L	0.250		108	85-115			
Duplicate (AK94126-DUP1)					Source: 19K1180-01 Prepared & Analyzed: 11/25/19						
Mercury	ND	0.020	0.020	ug/L		ND				20	U

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
 262 Rickenbacker Circle
 Livermore CA, 94551

Project Manager: Quality Control Manager
 Project: QC- 32oz Clear Glass Jar
 Project Number: Lot Number S9301CUHS

Reported:
 11/26/19 08:37

Metals by EPA 200 Series Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK94126 - EPA 245.1 Hg Water

Matrix Spike (AK94126-MS1)		Source: 19K1180-01			Prepared & Analyzed: 11/25/19						
Mercury	0.261	0.020	0.020	ug/L	0.250	ND	104	70-130			
Matrix Spike Dup (AK94126-MSD1)		Source: 19K1180-01			Prepared & Analyzed: 11/25/19						
Mercury	0.255	0.020	0.020	ug/L	0.250	ND	102	70-130	2.33	20	



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93805 - EPA 200.8

Blank (AK93805-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

Aluminum	ND	5.0	10	ug/L							U
Antimony	ND	0.20	0.50	ug/L							U
Arsenic	ND	0.40	0.50	ug/L							U
Barium	ND	0.20	0.50	ug/L							U
Beryllium	ND	0.050	0.10	ug/L							U
Boron	ND	20	50	ug/L							U
Cadmium	ND	0.060	0.10	ug/L							U
Chromium	ND	0.50	0.50	ug/L							U
Cobalt	ND	0.10	0.10	ug/L							U
Copper	0.419	0.40	0.50	ug/L							J
Iron	ND	10	50	ug/L							U
Lead	ND	0.060	0.25	ug/L							U
Manganese	ND	2.0	5.0	ug/L							U
Molybdenum	ND	0.070	0.25	ug/L							U
Nickel	ND	0.30	0.50	ug/L							U
Selenium	ND	0.30	2.0	ug/L							U
Silver	ND	0.050	0.10	ug/L							U
Thallium	ND	0.050	0.10	ug/L							U
Vanadium	ND	0.50	1.0	ug/L							U
Zinc	ND	4.0	5.0	ug/L							U

LCS (AK93805-BS1)

Prepared: 11/15/19 Analyzed: 11/18/19

Aluminum	510	5.0	10	ug/L	520		98.0	85-115			
Antimony	19.6	0.20	0.50	ug/L	20.0		98.0	85-115			
Arsenic	19.6	0.40	0.50	ug/L	20.0		98.0	85-115			
Barium	21.5	0.20	0.50	ug/L	20.0		107	85-115			
Beryllium	18.8	0.050	0.10	ug/L	20.0		94.2	85-115			
Boron	108	20	50	ug/L	100		108	85-115			
Cadmium	20.2	0.060	0.10	ug/L	20.0		101	85-115			
Chromium	20.9	0.50	0.50	ug/L	20.0		104	85-115			
Cobalt	21.0	0.10	0.10	ug/L	20.0		105	85-115			
Copper	20.1	0.40	0.50	ug/L	20.0		101	85-115			
Iron	558	10	50	ug/L	520		107	85-115			
Lead	19.7	0.060	0.25	ug/L	20.0		98.3	85-115			
Manganese	21.3	2.0	5.0	ug/L	20.0		106	85-115			
Molybdenum	20.0	0.070	0.25	ug/L	20.0		100	85-115			
Nickel	21.1	0.30	0.50	ug/L	20.0		106	85-115			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93805 - EPA 200.8

LCS (AK93805-BS1)

Prepared: 11/15/19 Analyzed: 11/18/19

Selenium	19.3	0.30	2.0	ug/L	20.0		96.6	85-115			
Silver	19.8	0.050	0.10	ug/L	20.0		99.0	85-115			
Thallium	19.6	0.050	0.10	ug/L	20.0		98.2	85-115			
Vanadium	21.5	0.50	1.0	ug/L	20.0		107	85-115			
Zinc	100	4.0	5.0	ug/L	100		100	85-115			

Duplicate (AK93805-DUP1)

Source: 19K1892-01

Prepared: 11/15/19 Analyzed: 11/18/19

Aluminum	ND	20	40	ug/L		ND				20	R-01, U
Antimony	ND	0.80	2.0	ug/L		ND				20	R-01, U
Arsenic	3.26	1.6	2.0	ug/L		3.14			3.64	20	
Barium	78.6	0.80	2.0	ug/L		78.5			0.126	20	
Beryllium	ND	0.20	0.40	ug/L		ND				20	R-01, U
Boron	952	80	200	ug/L		947			0.488	20	
Cadmium	ND	0.24	0.40	ug/L		ND				20	R-01, U
Chromium	ND	2.0	2.0	ug/L		ND				20	R-01, U
Cobalt	ND	0.40	0.40	ug/L		ND				20	R-01, U
Copper	5.24	1.6	2.0	ug/L		5.47			4.31	20	
Iron	199	40	200	ug/L		207			3.74	20	R-01, J
Lead	ND	0.24	1.0	ug/L		ND				20	R-01, U
Manganese	ND	8.0	20	ug/L		ND				20	R-01, U
Molybdenum	2.80	0.28	1.0	ug/L		2.76			1.26	20	
Nickel	4.05	1.2	2.0	ug/L		4.22			3.93	20	
Selenium	ND	1.2	8.0	ug/L		ND				20	R-01, U
Silver	0.325	0.20	0.40	ug/L		ND			200	20	R-01, J
Thallium	ND	0.20	0.40	ug/L		ND				20	R-01, U
Vanadium	3.04	2.0	4.0	ug/L		3.10			1.99	20	R-01, J
Zinc	ND	16	20	ug/L		ND				20	R-01, U



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
 262 Rickenbacker Circle
 Livermore CA, 94551

Project Manager: Quality Control Manager
 Project: QC- 32oz Clear Glass Jar
 Project Number: Lot Number S9301CUHS

Reported:
 11/26/19 08:37

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93805 - EPA 200.8

Matrix Spike (AK93805-MS1)

Source: 19K1892-01

Prepared: 11/15/19 Analyzed: 11/18/19

Aluminum	493	20	40	ug/L	520	ND	94.8	70-130			
Antimony	20.3	0.80	2.0	ug/L	20.0	ND	101	70-130			
Arsenic	24.8	1.6	2.0	ug/L	20.0	3.14	108	70-130			
Barium	98.5	0.80	2.0	ug/L	20.0	78.5	99.9	70-130			
Beryllium	18.4	0.20	0.40	ug/L	20.0	ND	92.0	70-130			
Boron	1070	80	200	ug/L	100	947	118	70-130			
Cadmium	19.7	0.24	0.40	ug/L	20.0	ND	98.5	70-130			
Chromium	19.7	2.0	2.0	ug/L	20.0	ND	98.5	70-130			
Cobalt	20.3	0.40	0.40	ug/L	20.0	ND	101	70-130			
Copper	24.7	1.6	2.0	ug/L	20.0	5.47	96.2	70-130			
Iron	736	40	200	ug/L	520	207	102	70-130			
Lead	18.7	0.24	1.0	ug/L	20.0	ND	93.7	70-130			
Manganese	21.4	8.0	20	ug/L	20.0	ND	107	70-130			
Molybdenum	24.2	0.28	1.0	ug/L	20.0	2.76	107	70-130			
Nickel	23.5	1.2	2.0	ug/L	20.0	4.22	96.5	70-130			
Selenium	21.3	1.2	8.0	ug/L	20.0	ND	106	70-130			
Silver	19.2	0.20	0.40	ug/L	20.0	ND	95.8	70-130			
Thallium	18.6	0.20	0.40	ug/L	20.0	ND	92.9	70-130			
Vanadium	24.6	2.0	4.0	ug/L	20.0	3.10	108	70-130			
Zinc	95.4	16	20	ug/L	100	ND	95.4	70-130			

Matrix Spike (AK93805-MS2)

Source: 19K1843-01

Prepared: 11/15/19 Analyzed: 11/18/19

Aluminum	487	20	40	ug/L	520	ND	93.7	70-130			
Antimony	19.4	0.80	2.0	ug/L	20.0	ND	96.9	70-130			
Arsenic	21.3	1.6	2.0	ug/L	20.0	ND	106	70-130			
Barium	115	0.80	2.0	ug/L	20.0	93.4	106	70-130			
Beryllium	18.7	0.20	0.40	ug/L	20.0	ND	93.4	70-130			
Boron	199	80	200	ug/L	100	98.7	100	70-130			
Cadmium	20.2	0.24	0.40	ug/L	20.0	ND	101	70-130			
Chromium	22.2	2.0	2.0	ug/L	20.0	ND	111	70-130			
Cobalt	20.9	0.40	0.40	ug/L	20.0	ND	105	70-130			
Copper	19.9	1.6	2.0	ug/L	20.0	ND	99.6	70-130			
Iron	700	40	200	ug/L	520	139	108	70-130			
Lead	19.5	0.24	1.0	ug/L	20.0	ND	97.4	70-130			
Manganese	21.6	8.0	20	ug/L	20.0	ND	108	70-130			
Molybdenum	21.2	0.28	1.0	ug/L	20.0	0.832	102	70-130			
Nickel	23.1	1.2	2.0	ug/L	20.0	2.49	103	70-130			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Metals by EPA Method 200.8 ICP/MS - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93805 - EPA 200.8

Matrix Spike (AK93805-MS2)		Source: 19K1843-01			Prepared: 11/15/19		Analyzed: 11/18/19	
Selenium	19.7	1.2	8.0	ug/L	20.0	ND	98.7	70-130
Silver	19.3	0.20	0.40	ug/L	20.0	ND	96.4	70-130
Thallium	19.5	0.20	0.40	ug/L	20.0	ND	97.6	70-130
Vanadium	24.1	2.0	4.0	ug/L	20.0	2.64	107	70-130
Zinc	104	16	20	ug/L	100	ND	104	70-130

Matrix Spike Dup (AK93805-MSD1)		Source: 19K1892-01			Prepared: 11/15/19		Analyzed: 11/18/19			
Aluminum	486	20	40	ug/L	520	ND	93.4	70-130	1.52	20
Antimony	19.8	0.80	2.0	ug/L	20.0	ND	99.0	70-130	2.29	20
Arsenic	24.2	1.6	2.0	ug/L	20.0	3.14	105	70-130	2.41	20
Barium	98.3	0.80	2.0	ug/L	20.0	78.5	99.2	70-130	0.153	20
Beryllium	17.6	0.20	0.40	ug/L	20.0	ND	88.0	70-130	4.44	20
Boron	1060	80	200	ug/L	100	947	113	70-130	0.473	20
Cadmium	19.6	0.24	0.40	ug/L	20.0	ND	97.9	70-130	0.643	20
Chromium	19.5	2.0	2.0	ug/L	20.0	ND	97.4	70-130	1.18	20
Cobalt	20.1	0.40	0.40	ug/L	20.0	ND	101	70-130	0.624	20
Copper	24.0	1.6	2.0	ug/L	20.0	5.47	92.4	70-130	3.12	20
Iron	734	40	200	ug/L	520	207	101	70-130	0.387	20
Lead	18.4	0.24	1.0	ug/L	20.0	ND	92.1	70-130	1.73	20
Manganese	23.2	8.0	20	ug/L	20.0	ND	116	70-130	8.06	20
Molybdenum	23.8	0.28	1.0	ug/L	20.0	2.76	105	70-130	1.72	20
Nickel	23.2	1.2	2.0	ug/L	20.0	4.22	95.0	70-130	1.24	20
Selenium	20.6	1.2	8.0	ug/L	20.0	ND	103	70-130	3.25	20
Silver	18.4	0.20	0.40	ug/L	20.0	ND	92.2	70-130	3.78	20
Thallium	18.2	0.20	0.40	ug/L	20.0	ND	91.0	70-130	2.13	20
Vanadium	24.3	2.0	4.0	ug/L	20.0	3.10	106	70-130	1.42	20
Zinc	108	16	20	ug/L	100	ND	108	70-130	12.3	20

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AK93733 - General Prep											
Blank (AK93733-BLK1)					Prepared & Analyzed: 11/20/19						
Total Organic Carbon	ND	0.300	0.300	mg/L							U
LCS (AK93733-BS1)					Prepared & Analyzed: 11/20/19						
Total Organic Carbon	10.6	0.300	0.300	mg/L	10.0		106	85-115			
LCS Dup (AK93733-BSD1)					Prepared & Analyzed: 11/20/19						
Total Organic Carbon	10.7	0.300	0.300	mg/L	10.0		107	85-115	1.09	20	
Duplicate (AK93733-DUP1)					Source: 19K1537-02 Prepared & Analyzed: 11/20/19						
Total Organic Carbon	1.48	0.300	0.300	mg/L		1.39			6.23	20	
Matrix Spike (AK93733-MS1)					Source: 19K1537-02 Prepared & Analyzed: 11/20/19						
Total Organic Carbon	11.7	0.300	0.300	mg/L	10.0	1.39	103	70-130			
Matrix Spike Dup (AK93733-MSD1)					Source: 19K1537-02 Prepared & Analyzed: 11/20/19						
Total Organic Carbon	12.0	0.300	0.300	mg/L	10.0	1.39	107	70-130	3.06	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC 262 Rickenbacker Circle Livermore CA, 94551	Project Manager: Quality Control Manager Project: QC- 32oz Clear Glass Jar Project Number: Lot Number S9301CUHS	Reported: 11/26/19 08:37
---------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------

Anions by EPA Method 300.0 - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93589 - EPA 300.0

Blank (AK93589-BLK1)											Prepared & Analyzed: 11/12/19	
Nitrite as NO2	ND	0.20	1.0	mg/L							U	
Fluoride	ND	0.070	0.10	mg/L							U	
Nitrate as NO3	ND	0.20	1.0	mg/L							U	
Sulfate as SO4	ND	0.20	0.50	mg/L							U	

LCS (AK93589-BS1)											Prepared & Analyzed: 11/12/19	
Nitrite as NO2	18.5	0.20	1.0	mg/L	18.2		102	90-110				
Nitrate as NO3	25	0.20	1.0	mg/L	24.7		103	90-110				
Fluoride	5.53	0.070	0.10	mg/L	5.56		99.5	90-110				
Sulfate as SO4	22.4	0.20	0.50	mg/L	22.2		101	90-110				

Duplicate (AK93589-DUP1)											Source: 19K1104-07		Prepared & Analyzed: 11/12/19	
Nitrate as NO3	13	0.20	1.0	mg/L		13			2.47	20				
Sulfate as SO4	39.8	0.20	0.50	mg/L		37.9			4.78	20				
Nitrite as NO2	ND	0.20	1.0	mg/L		ND				20	U			
Fluoride	0.0990	0.070	0.10	mg/L		0.101			2.00	20	J			

Matrix Spike (AK93589-MS1)											Source: 19K1104-07		Prepared & Analyzed: 11/12/19	
Nitrate as NO3	36	2.0	10	mg/L	24.7	13	93.7	80-120						
Fluoride	5.13	0.70	1.0	mg/L	5.56	ND	92.4	80-120						
Nitrite as NO2	16.8	2.0	10	mg/L	18.2	ND	92.1	80-120						
Sulfate as SO4	59.3	2.0	5.0	mg/L	22.2	37.9	96.2	80-120						

Matrix Spike (AK93589-MS2)											Source: 19K1306-01		Prepared & Analyzed: 11/12/19	
Nitrate as NO3	22	2.0	10	mg/L	24.7	ND	91.2	80-120						
Fluoride	5.01	0.70	1.0	mg/L	5.56	ND	90.2	80-120						
Sulfate as SO4	27.1	2.0	5.0	mg/L	22.2	7.07	89.9	80-120						
Nitrite as NO2	17.3	2.0	10	mg/L	18.2	ND	95.1	80-120						

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
 262 Rickenbacker Circle
 Livermore CA, 94551

Project Manager: Quality Control Manager
 Project: QC- 32oz Clear Glass Jar
 Project Number: Lot Number S9301CUHS

Reported:
 11/26/19 08:37

Anions by EPA Method 300.0 - Quality Control

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch AK93589 - EPA 300.0

Matrix Spike Dup (AK93589-MSD1)	Source: 19K1104-07			Prepared & Analyzed: 11/12/19							
Nitrate as NO3	36	2.0	10	mg/L	24.7	13	94.3	80-120	0.432	20	
Nitrite as NO2	16.8	2.0	10	mg/L	18.2	ND	92.3	80-120	0.218	20	
Fluoride	5.17	0.70	1.0	mg/L	5.56	ND	93.0	80-120	0.647	20	
Sulfate as SO4	59.7	2.0	5.0	mg/L	22.2	37.9	97.8	80-120	0.598	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Traps, LLC
262 Rickenbacker Circle
Livermore CA, 94551

Project Manager: Quality Control Manager
Project: QC- 32oz Clear Glass Jar
Project Number: Lot Number S9301CUHS

Reported:
11/26/19 08:37

Notes and Definitions

- J Detected but below the Reporting Limit; therefore, result is an estimated concentration, detected but not quantified (DNQ).
- QM-4X The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
- R-01 The Reporting Limit for this analyte has been raised to account for matrix interference.
- U Analyte included in analysis, but not detected at or above MDL.
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- MDL Method detection limit
- Rec Recovery
- RPD Relative Percent Difference



Laboratory & Corporate: 208 Mason Street, Ukiah, CA 95482
707-468-0401 Fax: 707-468-6267

Service Center & Micro Lab: 6398 Dougherty Rd, Ste 35, Dublin, CA 94568
925-828-6226 Fax: 925-828-6309

Chain of Custody Record

Reports and Invoices will be delivered by email in .pdf format.

Lab No. 19K1181 Page _____ of _____

Report to: Company: Sample Traps LLC Attn: Quality Control Manager Address: Phone/Fax: Email Address: admin@sampletraps.com		Invoice to (if different): Company: Attn: Address: Phone/Fax: Email Address:		Project Info for Report: Project ID: QC- 32oz clear glass jar Project No: Lot number S9301CUHS PO/Reference :		Signature below authorizes work under terms stated on reverse side.																																																																																																																			
Samplers Signature: Print: <u>N/A</u>		Container:		Preservative:		Matrix:		: Total Number of Containers	<table border="1"> <tr> <th colspan="12">Analyses Requested</th> <th>TAT</th> <th rowspan="4">Sample Notes (lab use only) Temperature: _____ deg. C Shipment Method: _____ Custody Seals: Y / N</th> </tr> <tr> <td>Sample Traps Inorganics</td><td>TOC</td><td>include MDL j-flags</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>10 days <input checked="" type="radio"/></td> <td rowspan="4" style="writing-mode: vertical-rl; text-orientation: mixed;">Lab Approval Required For Rush TATs</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>RUSH:</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>5 days <input type="radio"/></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>48 hours <input type="radio"/></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Other: ____ days <input type="radio"/></td> <td></td> </tr> <tr> <td colspan="13"></td> <td colspan="2" style="text-align: center;">Sample Notes or CDPH Source Numbers:</td> </tr> </table>												Analyses Requested												TAT	Sample Notes (lab use only) Temperature: _____ deg. C Shipment Method: _____ Custody Seals: Y / N	Sample Traps Inorganics	TOC	include MDL j-flags											10 days <input checked="" type="radio"/>	Lab Approval Required For Rush TATs														RUSH:														5 days <input type="radio"/>														48 hours <input type="radio"/>														Other: ____ days <input type="radio"/>															Sample Notes or CDPH Source Numbers:	
Analyses Requested												TAT	Sample Notes (lab use only) Temperature: _____ deg. C Shipment Method: _____ Custody Seals: Y / N																																																																																																												
Sample Traps Inorganics	TOC	include MDL j-flags													10 days <input checked="" type="radio"/>	Lab Approval Required For Rush TATs																																																																																																									
															RUSH:																																																																																																										
															5 days <input type="radio"/>																																																																																																										
														48 hours <input type="radio"/>																																																																																																											
														Other: ____ days <input type="radio"/>																																																																																																											
													Sample Notes or CDPH Source Numbers:																																																																																																												
Sample Identification		Sampled: Date Time		40ml VOA	Poly	Glass bottle	Glass Jar		HCL	Methanol	Na Bisulfate	Other	None	Water	Container	3	X	X	X																																																																																																						
S9301CUHS		x x					X								X	X	X																																																																																																								

Lab preparation guidelines for determination of Metals content in the Inorganics scan: Please add 100mL of lab-grade DI water to the container, acidify with 1.0 mL of reagent grade HNO3, and then cap and shake vigorously for at least 3 minutes. Let the jar stand for 48 hours. Treat the sample as a dissolved metals sample, and analyze the undigested water.

Lab preparation guidelines for determination of Total Organic Carbon: Please add 50mL of lab-grade DI water to the container, and then cap and shake vigorously for at least 3 minutes. Pour the DI water from the jar into a 40mL TOC vial, and then acidify with H3PO4 for TOC analysis.

Relinquished by: <u>BAL</u>		Received by: <u>[Signature]</u>		Date: 11-11-19	Time: 0800	CDPH Write On EDT Transmission? <input type="radio"/> Yes <input type="radio"/> No State System Number: _____ If "Y" please enter the Source Number(s) in the column above CA Geotracker EDF Report? <input type="radio"/> Yes <input type="radio"/> No Global ID: _____ Sampling Company Log Code: _____ EDF to (Email Address): _____ Travel and Site Time: _____ Mileage: _____ Misc. Supplies: _____											
---------------------------------------	--	-------------------------------------------	--	--------------------------	----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--	--	--	--	--	--	--	--